

## TBC1D3E Antibody (C-term)

|                |   |
|----------------|---|
| Catalog_no :   | AB0620  |
| Applications : | IHC-P, WB   |
| Reactivity :   | H   |
| Category :     | 抗原抗体  |
| Size :         | 100μL/50μL  |
| Immunogen :    | HUMAN:498-527   |
| Specificity :  | This TBC1D3E antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 498-527 amino acids from the C-terminal region of human TBC1D3E.  |
| Source :       | Rabbit  |
| Dilution :     | WB,1:1000;  |
| Purification : | Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.  |
| Other_name :   | TBC1 domain family member 3F, TBC1D3F, TBC1D3E  |
| Isotype :      | Rabbit Ig   |
| Background :   | TBC1D3E acts as a GTPase activating protein for RAB5. Does not act on RAB4 or RAB11 (By similarity).  |
| reference :    | Alkan, C., et al. Nat. Genet. 41(10):1061-1067(2009) Wainszelbaum, M.J., et al. J. Biol. Chem. 283(19):13233-13242(2008) Hodzic, D., et al. Genomics 88(6):731-736(2006) Zody, M.C., et al. Nature 440(7087):1045-1049(2006) Paulding, C.A., et al. Proc. |