



GCC2 Antibody (C-term)

Catalog_no :	AB0747
Applications :	IHC-P, WB
Reactivity :	H, M
Category :	抗原抗体
Size :	100μL/50μL
Immunogen :	HUMAN:1581-1609
Specificity :	This GCC2 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 1581-1609 amino acids from the C-terminal region of human GCC2.
Dilution :	WB,1:1000;IHC-P,1:50~100;
Purification :	Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.
Other_name :	GRIP and coiled-coil domain-containing protein 2, 185 kDa Golgi coiled-coil protein, GCC185, CLL-associated antigen KW-11, CTCL tumor antigen se1-1, Ran-binding protein 2-like 4, RanBP2L4, Renal carcinoma antigen NY-REN-53, GCC2, KIAA0336, RANBP2L4
Isotype :	Rabbit Ig
Background :	The protein encoded by this gene is a peripheral membrane protein localized to the trans-Golgi network. It is sensitive to brefeldin A. This encoded protein contains a GRIP domain which is thought to be used in targeting. Alternative splicing results in multiple transcript variants.
reference :	Houghton, F.J., et al. Cell 138(4):787-794(2009) Hayes, G.L., et al. Mol. Biol. Cell 20(1):209-217(2009) Burguete, A.S., et al. Cell 132(2):286-298(2008) Efimov, A., et al. Dev. Cell 12(6):917-930(2007) Derby, M.C., et al. Traffic 8(6):758-773(2007)