

ASAP3 Antibody (N-term)

Catalog_no :	AB0862
Applications :	WB, IHC-P, FC
Reactivity :	H, Ha
Category :	抗原抗体
Size :	100 μ L/50 μ L
Immunogen :	HUMAN:26-54
Specificity :	This ASAP3 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 26-54 amino acids from the N-terminal region of human ASAP3.
Dilution :	WB,1:1000;WB,1:1000;IHC-P,1:10~50;
Purification :	Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.
Other_name :	Arf-GAP with SH3 domain, ANK repeat and PH domain-containing protein 3, Development and differentiation-enhancing factor-like 1, Protein up-regulated in liver cancer 1, ASAP3, DDEFL1, UPLC1
Isotype :	Rabbit Ig
Background :	This gene encodes a member of a subfamily of ADP-ribosylation factor(Arf) GTPase-activating proteins that contain additional ankyrin repeat and pleckstrin homology domains. The Arf GAP domain of this protein catalyzes the hydrolysis of GTP bound to Arf proteins. The encoded protein promotes cell differentiation and migration and has been implicated in cancer cell invasion. Alternative splicing results in multiple transcript variants.
reference :	Ismail, S.A., et al. Cell 141(5):812-821(2010) Ha, V.L., et al. J. Biol. Chem. 283(22):14915-14926(2008) Fang, Z., et al. Mol. Cell Proteomics 5(8):1437-1449(2006) Okabe, H., et al. Int. J. Oncol. 24(1):43-48(2004)