

FRAT2 Antibody (C-term)

Catalog_no: AB0967

Applications: WB

Reactivity: Η

Category: 抗原抗体

Size: 100µL/50µL

HUMAN:203-230 Immunogen:

Specificity: This FRAT2 antibody is generated from rabbits immunized with a KLH conjugated

synthetic peptide between 203-230 amino acids from the C-terminal region of human

FRAT2.

WB,1:1000;IHC-P,1:10~50;IF,1:10~50; Dilution:

Purification: Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This

antibody is purified through a protein A column, followed by peptide affinity

purification.

GSK-3-binding protein FRAT2, Frequently rearranged in advanced T-cell lymphomas 2, Other name:

FRAT-2, FRAT2

Isotype: Rabbit Ig

The protein encoded by this intronless gene belongs to the GSK-3-binding protein Background:

family. Studies show that this protein plays a role as a positive regulator of the WNT

signaling pathway. It may be upregulated in tumor progression.

Lee, D.Y., et al. Menopause 17(5):1064-1070(2010) Liu, G.P., et al. Neurobiol. Aging reference:

29(9):1348-1358(2008) Stoothoff, W.H., et al. J. Biol. Chem. 280(1):270-276(2005) Deloukas, P., et al. Nature 429(6990):375-381(2004) Freemantle, S.J., et al. Gene 2