

VWA2 Antibody (N-term)

Catalog_no :	AB0979
Applications :	WB, FC
Reactivity :	H
Category :	抗原抗体
Size :	100 μ L/50 μ L
Immunogen :	HUMAN:44-72
Specificity :	This VWA2 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 44-72 amino acids from the N-terminal region of human VWA2.
Dilution :	WB,1:1000;WB,1:1000;
Purification :	Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.
Other_name :	von Willebrand factor A domain-containing protein 2, A domain-containing protein similar to matrilin and collagen, AMACO, Colon cancer secreted protein 2, CCSP-2, VWA2, AMACO
Isotype :	Rabbit Ig
Background :	VWA2, also named as AMACO and CCSP2, is a novel candidate serological marker of colon neoplasia. VWA2 is found in the media of variesy of established cell lines of both fibroblast and epithelial origin.
reference :	Gao, W., et al. Blood 112(5):1713-1719(2008) Gebauer, J.M., et al. J. Biol. Chem. 283(26):17846-17854(2008) Grupe, A., et al. Am. J. Hum. Genet. 78(1):78-88(2006) Xin, B., et al. Oncogene 24(4):724-731(2005) Eller, E., et al. Ann. N. Y. Acad. Sci. 10