

TRIM39 Antibody (Center)

| | |
|----------------|--|
| Catalog_no : | AB1183 |
| Applications : | WB |
| Reactivity : | H |
| Category : | 抗原抗体 |
| Size : | 100μL/50μL |
| Immunogen : | HUMAN:248-277 |
| Specificity : | This TRIM39 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 248-277 amino acids from the Central region of human TRIM39. |
| Dilution : | WB,1:1000;IHC-P,1:10~50; |
| Purification : | Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification. |
| Other_name : | E3 ubiquitin-protein ligase TRIM39, 632-, RING finger protein 23, Testis-abundant finger protein, Tripartite motif-containing protein 39, TRIM39, RNF23, TFP |
| Isotype : | Rabbit Ig |
| Background : | The protein encoded by this gene is a member of the tripartite motif (TRIM) family. The TRIM motif includes three zinc-binding domains, a RING, a B-box type 1 and a B-box type 2, and a coiled-coil region. The function of this protein has not been identified. This gene lies within the major histocompatibility complex class I region on chromosome 6. Alternate splicing results in two transcript variants encoding different isoforms. [provided by RefSeq]. |
| reference : | Kurata, R., et al. Biochem. Biophys. Res. Commun. 401(4):533-537(2010) Barcellos, L.F., et al. PLoS Genet. 5 (10), E1000696 (2009) : Lee, S.S., et al. Exp. Cell Res. 315(7):1313-1325(2009) Roberts, J.D. Jr., et al. Am. J. Physiol. Lung Cell Mol. Phys |