



RFNG Antibody (C-term)

Catalog_no :	AB1526
Applications :	WB
Reactivity :	H
Category :	抗原抗体
Size :	100μL/50μL
Immunogen :	HUMAN:282-310
Specificity :	This RFNG antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 282-310 amino acids from the C-terminal region of human RFNG.
Dilution :	WB,1:1000;
Purification :	Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.
Other_name :	Beta-1,3-N-acetylglucosaminyltransferase radical fringe, O-fucosylpeptide 3-beta-N-acetylglucosaminyltransferase, RFNG
Isotype :	Rabbit Ig
Background :	Glycosyltransferase that initiates the elongation of O-linked fucose residues attached to EGF-like repeats in the extracellular domain of Notch molecules. May be involved in limb formation and in neurogenesis (By similarity).
reference :	Mikami, T., et al. Brain Res. Mol. Brain Res. 86 (1-2), 138-144 (2001) : Moran, J.L., et al. Mamm. Genome 10(6):535-541(1999) Johnston, S.H., et al. Development 124(11):2245-2254(1997)