

PAF1 Antibody (C-term)

Catalog_no :	AB1585
Applications :	WB
Reactivity :	H
Category :	抗原抗体
Size :	100μL/50μL
Immunogen :	HUMAN:439-467
Specificity :	This PAF1 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 439-467 amino acids from the C-terminal region of human PAF1.
Dilution :	WB,1:1000;WB,1:1000;
Purification :	Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.
Other_name :	RNA polymerase II-associated factor 1 homolog, hPAF1, Pancreatic differentiation protein 2, PAF1, PD2
Isotype :	Rabbit Ig
Background :	PAF1, parafibromin (CDC73; MIM 607393), LEO1 (MIM 610507), and CTR9 (MIM 609366) form the PAF protein complex that associates with the RNA polymerase II subunit POLR2A (MIM 180660) and with a histone methyltransferase complex (Rozenblatt-Rosen et al., 2005 [PubMed 15632063]). The PAF complex also has a role in histone monoubiquitination (Zhu et al., 2005 [PubMed 16307923]).[supplied by OMIM].
reference :	Muntean, A.G., et al. Cancer Cell 17(6):609-621(2010) Kim, J., et al. Cell 140(4):491-503(2010) Moniaux, N., et al. PLoS ONE 4 (9), E7077 (2009) : Olsen, J.V., et al. Cell 127(3):635-648(2006) Moniaux, N., et al. Oncogene 25(23):3247-3257(2006)