

## NAP1L3 Antibody (C-term)

| Catalog_no:    | AB1642  |
|----------------|---|
| Applications : | WB, IHC-P, FC   |
| Reactivity :   | Н   |
| Category :     | 抗原抗体  |
| Size :         | 100µL/50µL  |
| Immunogen :    | HUMAN:432-459   |
| Specificity :  | This NAP1L3 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 432-459 amino acids from the C-terminal region of human NAP1L3.  |
| Dilution :     | WB,1:1000;  |
| Purification : | Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.  |
| Other_name :   | Nucleosome assembly protein 1-like 3, NAP1L3, BNAP  |
| Isotype :      | Rabbit Ig   |
| Background :   | This gene encodes a member of the nucleosome assembly protein (NAP) family. It is<br>linked closely to a region of genes responsible for several X-linked mental retardation<br>syndromes. Alternatively spliced transcript variants have been found for this gene, but<br>the biological validity of the variants has not been determined. |
| reference :    | Ross, M.T., et al. Nature 434(7031):325-337(2005) Reddy, P.H., et al. Genomics<br>46(2):174-182(1997) Watanabe, T.K., et al. Cytogenet. Cell Genet. 74(4):281-285(1996)   |