

## SLC30A10 Antibody (C-term)

Catalog\_no: AB1901

Applications: WB

Reactivity: H

Category: 抗原抗体

Size:  $100\mu L/50\mu L$ 

Immunogen: HUMAN:331-359

Specificity: This SLC30A10 antibody is generated from rabbits immunized with a KLH conjugated

synthetic peptide between 331-359 amino acids from the C-terminal region of human

SLC30A10.

Dilution: WB,1:2000;WB,1:2000;WB,1:1000;

Purification: Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This

antibody is purified through a protein A column, followed by peptide affinity

purification.

Other\_name: Zinc transporter 10, ZnT-10, Solute carrier family 30 member 10, SLC30A10, ZNT10,

ZNT8

Isotype: Rabbit Ig

Background: Zinc functions as a cofactor for numerous enzymes, nuclear factors, and hormones and

as an intra- and intercellular signal ion. Members of the zinc transporter (ZNT)/SLC30 subfamily of the cation diffusion facilitator family, such as SLC30A10, permit cellular

efflux of zinc (Seve et al., 2004 [PubMed 15154973]).

reference: Wang, L., et al. Cancer Epidemiol. Biomarkers Prev. 17(12):3558-3566(2008) Seve, M., et

al. BMC Genomics 5 (1), 32 (2004):