

LAF4 Antibody (C-term)

| Catalog_no: | AB2369 |
|----------------|---|
| Reactivity : | Н, М |
| Category : | 抗原抗体 |
| Size : | 100µL/50µL |
| Immunogen : | HUMAN:1197-1227 |
| Specificity : | This LAF4 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 1197-1227 amino acids from the C-terminal region of human LAF4. |
| Dilution : | WB,1:2000;WB,1:1000; |
| Purification : | Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein G column, eluted with high and low pH buffers and neutralized immediately, followed by dialysis against PBS. |
| Other_name : | AF4/FMR2 family member 3, Lymphoid nuclear protein related to AF4, Protein LAF-4, AFF3, LAF4 |
| Isotype : | Rabbit Ig |
| Background : | Lymphoid nuclear protein related to AF4 (LAF4) is related to MLLT2 which is also referred to as AF4. LAF4 is a tissue-restricted nuclear transcriptional activator that is preferentially expressed in lymphoid tissue. Isolation of LAF4 has defined a highly conserved LAF4/MLLT2 gene family of nuclear transcription factors that may function in lymphoid development and oncogenesis. |
| reference : | Hiwatari, M., et al., Oncogene 22(18):2851-2855 (2003). von Bergh, A.R., et al., Genes Chromosomes Cancer 35(1):92-96 (2002). Liao, X., et al., Mamm. Genome 7(6):467-468 (1996). Ma, C., et al., Blood 87(2):734-745 (1996). |