

## SMARCC1 Antibody (C-term)

Catalog\_no: AB3310

Reactivity: H, M

Category: 抗原抗体

Size:  $100\mu L/50\mu L$ 

Immunogen: HUMAN

Specificity: This SMARCC1 antibody is generated from a rabbit immunized with a KLH conjugated

synthetic peptide between 963-997 amino acids from the C-terminal region of human

SMARCC1.

Dilution: WB,1:2000;

Other\_name: SWI/SNF complex subunit SMARCC1, BRG1-associated factor 155, BAF155, SWI/SNF

complex 155 kDa subunit, SWI/SNF-related matrix-associated actin-dependent regulator

of chromatin subfamily C member 1, SMARCC1, BAF155

Isotype: Rabbit Ig

Background: Involved in transcriptional activation and repression of select genes by chromatin

remodeling (alteration of DNA-nucleosome topology). May stimulate the ATPase activity of the catalytic subunit of the complex. Also involved in vitamin D-coupled transcription regulation via its association with the WINAC complex, a chromatin-remodeling complex recruited by vitamin D receptor (VDR), which is required for the ligand-bound VDR-mediated transrepression of the CYP27B1 gene. Belongs to the neural progenitors-specific chromatin remodeling complex (npBAF complex) and the neuron-specific chromatin remodeling complex (nBAF complex). During neural development a switch from a stem/progenitor to a post-mitotic chromatin remodeling mechanism occurs as neurons exit the cell cycle and become committed to their adult state. The transition from proliferating neural stem/progenitor cells to post-mitotic neurons requires a switch in subunit composition of the npBAF and nBAF complexes. As neural progenitors

exit mitosis and differentiate into neurons, npBAF complexes which contain ACTL6A/BAF53A and PHF10/BAF45A, are exchanged for homologous alternative ACTL6B/BAF53B and DPF1/BAF45B or DPF3/BAF45C subunits in neuron-specific complexes (nBAF). The npBAF complex is essential for the self-renewal/proliferative capacity of the multipotent neural stem cells. The nBAF complex along with CREST plays a role regulating the activity of genes essential for dendrite growth (By similarity).

reference: Wang W., et al. Genes Dev. 10:2117-2130(1996). Bienvenut W.V., et al. Submitted

(JUL-2007) to UniProtKB. Sif S.,et al.Genes Dev. 12:2842-2851(1998). Kitagawa H.,et

al.Cell 113:905-917(2003). Brill L.M., et al. Anal. Chem. 76:2763-2772(2004).