

## SLA2 Antibody (Center)

|               |  |
|---------------|--|
| Catalog_no :  | AB3354   |
| Reactivity :  | H, M   |
| Category :    | 抗原抗体   |
| Size :        | 100μL/50μL   |
| Immunogen :   | HUMAN  |
| Specificity : | This SLA2 antibody is generated from a rabbit immunized with a KLH conjugated synthetic peptide between 138-169 amino acids from the Central region of human SLA2.   |
| Dilution :    | WB,1:2000;WB,1:2000;   |
| Other_name :  | Src-like-adapter 2, Modulator of antigen receptor signaling, MARS, Src-like adapter protein 2, SLAP-2, SLA2, C20orf156, SLAP2  |
| Isotype :     | Rabbit Ig  |
| Background :  | Adapter protein, which negatively regulates T-cell receptor (TCR) signaling. Inhibits T-cell antigen-receptor induced activation of nuclear factor of activated T-cells. May act by linking signaling proteins such as ZAP70 with CBL, leading to a CBL dependent degradation of signaling proteins. |
| reference :   | Holland S.J.,et al.J. Exp. Med. 194:1263-1276(2001). Loreto M.P.,et al.Oncogene 22:266-273(2003). Ota T.,et al.Nat. Genet. 36:40-45(2004). Deloukas P.,et al.Nature 414:865-871(2001). Mural R.J.,et al.Submitted (SEP-2005) to the EMBL/GenBank/DDBJ data   |