

## Mouse Jarid2 Antibody (C-term)

Catalog_no :	AB3372
Reactivity :	M
Category :	抗原抗体
Size :	100 $\mu$ L/50 $\mu$ L
Immunogen :	HUMAN
Specificity :	This Mouse Jarid2 antibody is generated from a rabbit immunized with a KLH conjugated synthetic peptide between 1107-1141 amino acids from the C-terminal region of Mouse Jarid2.
Dilution :	WB,1:2000;
Other_name :	Protein Jumonji, Jumonji/ARID domain-containing protein 2, Jarid2, Jmj
Isotype :	Rabbit Ig
Background :	Regulator of histone methyltransferase complexes that plays an essential role in embryonic development, including heart and liver development, neural tube fusion process and hematopoiesis. Acts by modulating histone methyltransferase activity and promoting the recruitment of histone methyltransferase complexes to their target genes. Binds DNA and mediates the recruitment of the PRC2 complex to target genes in embryonic stem cells. Does not have histone demethylase activity but regulates activity of various histone methyltransferase complexes. In embryonic stem cells, it associates with the PRC2 complex and inhibits trimethylation of 'Lys-27' of histone H3 (H3K27me3) by the PRC2 complex, thereby playing a key role in differentiation of embryonic stem cells and normal development. In cardiac cells, it is required to repress expression of cyclin-D1 (CCND1) by activating methylation of 'Lys-9' of histone H3 (H3K9me) by the GLP1/EHMT1 and G9a/EHMT2 histone methyltransferases. Also acts as a transcriptional repressor of ANF via its interaction with GATA4 and NKX2-5. Participates in the negative regulation of cell proliferation signaling.
reference :	Takeuchi T.,et al.Genes Dev. 9:1211-1222(1995). Carninci P.,et al.Science 309:1559-1563(2005). Mural R.J.,et al.Submitted (JUL-2005) to the EMBL/GenBank/DDBJ databases. Motoyama J.,et al.Mech. Dev. 66:27-37(1997). Takeuchi T.,et al.Mech. Dev. 86:29-3