



Nocodazole

Catalog_no :	ADMC0250
Category :	抑制剂与激动剂
Size :	10mg/50mg/100mg
Specificity :	Target: Bcr-Abl. Fields: Nocodazole inhibits Abl, Abl(E255K) and Abl(T315I) with IC50 of 0.21 μ M, 0.53 μ M and 0.64 μ M, respectively. Enhances homology-directed repair (HDR) efficiency 9 to 31% (depending on cell cycle phase) and increases Cas9-media
Dilution :	IC50: 0.21 μ M (ABL), 0.53 μ M (ABL E255K), 0.64 μ M (ABL T315I)
Purification :	>98%
Concentration :	靶点 : Bcr-Abl;IC50 : 0.21 μ M (ABL), 0.53 μ M (ABL E255K), 0.64 μ M (ABL T315I)
Storage_stability :	2 years -20°C Powder, 2 weeks4°C in DMSO,6 months-80°C in DMSO
Molecular Weight :	301.32
Notes :	Nocodazole inhibits Abl, Abl(E255K) and Abl(T315I) with IC50 of 0.21 μ M, 0.53 μ M and 0.64 μ M, respectively. Enhances homology-directed repair (HDR) efficiency 9 to 31% (depending on cell cycle phase) and increases Cas9-mediated gene editing frequenci

Product Images

