Histone H3 (Mono Methyl Arg17) Polyclonal Antibody

Catalog_no：	AM3331
Applications：	WB
Reactivity：	Human,Rat
Category：	抗原抗体
Size：	100μg/50μg
Gene_name：	HIST1H3A/HIST1H3B/HIST1H3C/HIST1H3D/HIST1H3E/HIST1H3F/HIST1H3G/HIST1H3H/HIST1H3I/HIST1H3J/HIST2H3A/HIST2H3C/HIST2H3D/H3F3A/H3F3B
Protein_name：	Histone H3.1/Histone H3.2/Histone H3.3
Humangene_id：	8350/8351/8352/8353/8354/8355/8356/8357/8358/8968
Humanswissprot_no：	P68431/Q71DI3/P84243
Mousegene_id：	319152/15077/15078
Ratgene_id：	291159/100361558
Ratswissprot_no：	Q6LED0/P84245
Immunogen：	Synthetic Peptide of Histone H3 (Mono Methyl Arg17)
Specificity：	The antibody detects endogenous Histone H3 (Mono Methyl Arg17) protein.
Formulation：	PBS, pH 7.4, containing 0.02% sodium azide as Preservative and 50% Glycerol.
Source：	Mouse
Dilution：	WB: 1:500-1000
Purification：	The antibody was affinity-purified from rabbit ascites by affinity-chromatography using epitope-specific immunogen.
Storage_stability：	-20°C/1 year
Msds：	MSDS_Antibody.pdf
Other_name：	HIST1H3A; H3FA; HIST1H3B; H3FL; HIST1H3C; H3FC; HIST1H3D; H3FB; HIST1H3E; H3FD; HIST1H3F; H3FI; HIST1H3G; H3FH; HIST1H3H; H3FK; HIST1H3I; H3FF; HIST1H3J; H3FJ; Histone H3.1; Histone H3/a; Histone H3/b; Histone H3/c; Histone H3/d; Histone H3/f; Histone H3/h; Histone H3/i; Histone H3/j; Histone H3/k; Histone H3/l; HIST2H3A; HIST2H3C; H3F2; H3FM; HIST2H3D; Histone H3.2; Histone H3/m; Histone H3/o; H3F3A;

	H3.3A; H3F3; PP781; H3F3B; H3.3B; Histone H3.3
Molecular Weight：	15-17KD

Product Images



Western blot analysis of 1) Hela, 2) Rat Testis Tissue, diluted at 1:1000.. Secondary antibody was diluted at 1:20000 cells nucleus extracted by Minute TM Cytoplasmic and Nuclear Fractionation kit (SC-003,Inventbiotech,MN,USA).