

## c-Src (phospho Tyr419) Polyclonal Antibody

Catalog_no :	AP0077
Applications :	WB,IHC-p,ELISA
Reactivity :	Human,Mouse,Rat
Category :	抗原抗体
Size :	100µg/50µg/20µg
Gene_name :	SRC
Protein_name :	Proto-oncogene tyrosine-protein kinase Src
Humangene_id :	<a href="#">6714</a>
Humanswissprot_no :	<a href="#">P12931</a>
Mousegene_id :	<a href="#">20779</a>
Mouseswissprot_no :	<a href="#">P05480</a>
Ratswissprot_no :	<a href="#">Q9WUD9</a>
Immunogen :	The antiserum was produced against synthesized peptide derived from human Src around the phosphorylation site of Tyr418. AA range:386-435
Specificity :	Phospho-c-Src (Y419) Polyclonal Antibody detects endogenous levels of c-Src protein only when phosphorylated at Y419.
Formulation :	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Source :	Rabbit
Dilution :	Western Blot: 1/500 - 1/2000. Immunohistochemistry: 1/100 - 1/300. ELISA: 1/20000. Not yet tested in other applications.
Purification :	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.
Concentration :	1 mg/ml
Storage_stability :	-20°C/1 year
Msds :	<a href="#">MSDS_Antibody.pdf</a>




Other\_name : SRC; SRC1; Proto-oncogene tyrosine-protein kinase Src; Proto-oncogene c-Src; pp60c-src; p60-Src

---

Molecular Weight : 60KD

---

## Product Images



Western Blot analysis of Jurkat cells using Phospho-c-Src (Y419) Polyclonal Antibody diluted at 1 : 500