

## HDAC4 (phospho Ser632) Polyclonal Antibody


Catalog_no :	AP0125
Applications :	WB,ELISA
Reactivity :	Human,Mouse,Rat
Category :	抗原抗体
Size :	100µg/50µg/20µg
Gene_name :	HDAC4
Protein_name :	Histone deacetylase 4
Humangene_id :	<a href="#">9759</a>
Humanswissprot_no :	<a href="#">P56524</a>
Mousegene_id :	<a href="#">208727</a>
Mouseswissprot_no :	<a href="#">Q6NZM9</a>
Ratgene_id :	<a href="#">363287</a>
Ratswissprot_no :	<a href="#">Q99P99</a>
Immunogen :	The antiserum was produced against synthesized peptide derived from human HDAC4 around the phosphorylation site of Ser632. AA range:598-647
Specificity :	Phospho-HDAC4 (S632) Polyclonal Antibody detects endogenous levels of HDAC4 protein only when phosphorylated at S632.
Formulation :	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Source :	Rabbit
Dilution :	Western Blot: 1/500 - 1/2000. ELISA: 1/20000. Not yet tested in other applications.
Purification :	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.
Concentration :	1 mg/ml
Storage_stability :	-20°C/1 year
Msds :	MSDS_Antibody.pdf




Other\_name : HDAC4; KIAA0288; Histone deacetylase 4; HD4

Molecular Weight : 119KD

## Product Images



Western Blot analysis of various cells using Phospho-HDAC4 (S632) Polyclonal Antibody diluted at 1 : 1000



Western blot analysis of HELA SH-SY5Y 3T3 lysis using Phospho-HDAC4 (S632) antibody. Antibody was diluted at 1:1000