

Stat4 (phospho Tyr693) Polyclonal Antibody


| | |
|---------------------|--|
| Catalog_no : | AP0252 |
| Applications : | WB,IHC-p,IP,ELISA |
| Reactivity : | Human,Mouse,Rat,Monkey |
| Category : | 抗原抗体 |
| Size : | 100µg/50µg/20µg |
| Gene_name : | STAT4 |
| Protein_name : | Signal transducer and activator of transcription 4 |
| Humangene_id : | 6775 |
| Humanswissprot_no : | Q14765 |
| Mousegene_id : | 20849 |
| Mouseswissprot_no : | P42228 |
| Immunogen : | The antiserum was produced against synthesized peptide derived from human STAT4 around the phosphorylation site of Tyr693. AA range:660-709 |
| Specificity : | Phospho-Stat4 (Y693) Polyclonal Antibody detects endogenous levels of Stat4 protein only when phosphorylated at Y693. |
| Formulation : | Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide. |
| Source : | Rabbit |
| Dilution : | Western Blot: 1/500 - 1/2000. Immunohistochemistry: 1/100 - 1/300. Immunoprecipitation: 2-5 ug/mg lysate. ELISA: 1/5000. Not yet tested in other applications. |
| Purification : | The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen. |
| Concentration : | 1 mg/ml |
| Storage_stability : | -20°C/1 year |
| Msds : | MSDS_Antibody.pdf |
| Other_name : | STAT4; Signal transducer and activator of transcription 4 |



Molecular
Weight :

86KD

Product Images



Western Blot analysis of various cells using Phospho-Stat4 (Y693) Polyclonal Antibody diluted at 1 : 2000