

## Vav (phospho Tyr174) Polyclonal Antibody

Catalog_no :	AP0273
Applications :	WB,IHC-p,ELISA
Reactivity :	Human,Mouse,Rat
Category :	抗原抗体
Size :	100µg/50µg/20µg
Gene_name :	VAV1
Protein_name :	Proto-oncogene vav
Humangene_id :	<a href="#">7409</a>
Humanswissprot_no :	<a href="#">P15498</a>
Mousegene_id :	<a href="#">22324</a>
Mouseswissprot_no :	<a href="#">P27870</a>
Ratswissprot_no :	<a href="#">P54100</a>
Immunogen :	Synthesized phospho-peptide around the phosphorylation site of human Vav (phospho Tyr174)
Specificity :	Phospho-Vav (Y174) Polyclonal Antibody detects endogenous levels of Vav protein only when phosphorylated at Y174.
Formulation :	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Source :	Rabbit
Dilution :	Western Blot: 1/500 - 1/2000. Immunohistochemistry: 1/100 - 1/300. ELISA: 1/5000. Not yet tested in other applications.
Purification :	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.
Concentration :	1 mg/ml
Storage_stability :	-20°C/1 year
Msds :	<a href="#">MSDS_Antibody.pdf</a>




Other\_name : VAV1; VAV; Proto-oncogene vav

---


Molecular Weight : 100KD

---

## Product Images



Immunohistochemical analysis of paraffin-embedded Human breast cancer. Antibody was diluted at 1:100(4°,overnight). High-pressure and temperature Tris-EDTA,pH8.0 was used for antigen retrieval. Negative contrl (right) obtaned from antibody was pre-absorbed by immunogen peptide.



Immunohistochemical analysis of paraffin-embedded Human breast cancer. Antibody was diluted at 1:100(4°,overnight). High-pressure and temperature Tris-EDTA,pH8.0 was used for antigen retrieval. Negative contrl (right) obtaned from antibody was pre-absorbed by immunogen peptide.