

HDAC5/9 (phospho Ser259/220) Polyclonal Antibody


| | |
|---------------------|--|
| Catalog_no : | AP0299 |
| Applications : | WB,IHC-p,ELISA |
| Reactivity : | Human,Mouse |
| Category : | 抗原抗体 |
| Size : | 100µg/50µg/20µg |
| Gene_name : | HDAC5/HDAC9 |
| Protein_name : | Histone deacetylase 5/9 |
| Humangene_id : | 10014/9734 |
| Humanswissprot_no : | Q9UQL6/Q9UKV0 |
| Mousegene_id : | 79221 |
| Immunogen : | The antiserum was produced against synthesized peptide derived from human HDAC5 around the phosphorylation site of Ser259. AA range:225-274 |
| Specificity : | Phospho-HDAC5/9 (S259/220) Polyclonal Antibody detects endogenous levels of HDAC5/9 protein only when phosphorylated at S259/220. |
| Formulation : | Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide. |
| Source : | Rabbit |
| Dilution : | Western Blot: 1/500 - 1/2000. Immunohistochemistry: 1/100 - 1/300. ELISA: 1/10000. Not yet tested in other applications. |
| Purification : | The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen. |
| Concentration : | 1 mg/ml |
| Storage_stability : | -20°C/1 year |
| Msds : | MSDS_Antibody.pdf |
| Other_name : | HDAC5; KIAA0600; Histone deacetylase 5; HD5; Antigen NY-CO-9; HDAC9; HDAC7; HDAC7B; HDRP; KIAA0744; MITR; Histone deacetylase 9; HD9; Histone deacetylase 7B; HD7; HD7b; Histone deacetylase-related protein; MEF2-interacting transcription rep |
| Molecular Weight : | 121KD |




专注二抗产品

Biodragon旗下品牌

Product Images



Western Blot analysis of HepG2 cells using Phospho-HDAC5/9 (S259/220) Polyclonal Antibody diluted at 1 : 2000



Western Blot analysis of COLO HELA 293T cells using Phospho-HDAC5/9 (S259/220) Polyclonal Antibody diluted at 1 : 2000