

PPAR- γ (phospho Ser112) Polyclonal Antibody

Catalog_no :	AP0316
Applications :	WB,ELISA
Reactivity :	Human,Mouse,Rat
Category :	抗原抗体
Size :	100 μ g/50 μ g/20 μ g
Gene_name :	PPARG
Protein_name :	Peroxisome proliferator-activated receptor gamma
Humangene_id	5468
:	
Humanswissprot	P37231
_no :	
Mousegene_id :	19016
Mouseswissprot	P37238
_no :	
Ratgene_id :	25664
Ratswissprot_no	O88275
:	
Immunogen :	The antiserum was produced against synthesized peptide derived from human PPAR-gamma around the phosphorylation site of Ser112. AA range:78-127
Specificity :	Phospho-PPAR- γ (S112) Polyclonal Antibody detects endogenous levels of PPAR- γ protein only when phosphorylated at S112.
Formulation :	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Source :	Rabbit
Dilution :	Western Blot: 1/500 - 1/2000. ELISA: 1/10000. Not yet tested in other applications.
Purification :	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.
Concentration :	1 mg/ml
Storage_stability	-20°C/1 year
:	
Msds :	MSDS_Antibody.pdf




Other_name : PPARG; NR1C3; Peroxisome proliferator-activated receptor gamma; PPAR-gamma;
Nuclear receptor subfamily 1 group C member 3

Molecular Weight : 60KD

Product Images

Western Blot analysis of various cells using Phospho-PPAR- γ (S112) Polyclonal Antibody diluted at 1 : 500



-	+	- phospho-peptide
-	-	+ non-phospho-peptide
+	+	+ Paclitaxel (1 μ M, 24hours)

Western Blot analysis of PC-3 cells using Phospho-PPAR- γ (S112) Polyclonal Antibody diluted at 1 : 500

