

## Cyclin H (phospho Thr315) Polyclonal Antibody

Catalog_no :	AP0352
Applications :	WB,IHC-p,ELISA
Reactivity :	Human,Mouse,Rat
Category :	抗原抗体
Size :	100µg/50µg/20µg
Gene_name :	CCNH
Protein_name :	Cyclin-H
Humangene_id	<a href="#">902</a>
:	
Humanswissprot	<a href="#">P51946</a>
_no :	
Mousegene_id :	<a href="#">66671</a>
Mouseswissprot	<a href="#">Q61458</a>
_no :	
Ratgene_id :	<a href="#">84389</a>
Ratswissprot_no	<a href="#">Q9R1A0</a>
:	
Immunogen :	The antiserum was produced against synthesized peptide derived from human Cyclin H around the phosphorylation site of Thr315. AA range:274-323
Specificity :	Phospho-Cyclin H (T315) Polyclonal Antibody detects endogenous levels of Cyclin H protein only when phosphorylated at T315.
Formulation :	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Source :	Rabbit
Dilution :	Western Blot: 1/500 - 1/2000. Immunohistochemistry: 1/100 - 1/300. ELISA: 1/10000. Not yet tested in other applications.
Purification :	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.
Concentration :	1 mg/ml
Storage_stability	-20°C/1 year
:	




Msd : MSDS\_Antibody.pdf

Other\_name : CCNH; Cyclin-H; MO15-associated protein; p34; p37

Molecular Weight : 34KD

## Product Images



Immunohistochemical analysis of paraffin-embedded Human brain. Antibody was diluted at 1:100(4°,overnight). High-pressure and temperature Tris-EDTA,pH8.0 was used for antigen retrieval. Negative contrl (right) obtaned from antibody was pre-absorbed by immunogen peptide.