

Tak1 (phospho Thr187) Polyclonal Antibody

Catalog_no :	AP0424
Applications :	WB,IHC-p,ELISA
Reactivity :	Human,Mouse,Rat
Category :	抗原抗体
Size :	100µg/50µg/20µg
Gene_name :	MAP3K7
Protein_name :	Mitogen-activated protein kinase kinase kinase 7
Humangene_id :	6885
Humanswissprot _no :	O43318
Mousegene_id :	26409
Mouseswissprot _no :	Q62073
Ratgene_id :	1.00911e+008
Ratswissprot_no :	P0C8E4
Immunogen :	The antiserum was produced against synthesized peptide derived from human MAP3K7 around the phosphorylation site of Thr187. AA range:161-210
Specificity :	Phospho-Tak1 (T187) Polyclonal Antibody detects endogenous levels of Tak1 protein only when phosphorylated at T187.
Formulation :	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Source :	Rabbit
Dilution :	Western Blot: 1/500 - 1/2000. Immunohistochemistry: 1/100 - 1/300. ELISA: 1/10000. Not yet tested in other applications.
Purification :	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.
Concentration :	1 mg/ml
Storage_stability :	-20°C/1 year




MsdS : MSDS_Antibody.pdf

Other_name : MAP3K7; TAK1; Mitogen-activated protein kinase kinase kinase 7; Transforming growth factor-beta-activated kinase 1; TGF-beta-activated kinase 1

Molecular Weight : 60KD

Product Images



Western Blot analysis of 293T cells using Phospho-Tak1 (T187) Polyclonal Antibody diluted at 1 : 1000