

ACCA (phospho Ser80) Polyclonal Antibody

Catalog_no :	AP0595
Applications :	WB,IHC-p,ELISA
Reactivity :	Human,Mouse,Rat
Category :	抗原抗体
Size :	100µg/50µg/20µg
Gene_name :	ACACA
Protein_name :	Acetyl-CoA carboxylase 1
Humangene_id	31
:	
Humanswissprot	Q13085
_no :	
Mousegene_id :	107476
Mouseswissprot	Q5SWU9
_no :	
Ratgene_id :	60581
Ratswissprot_no	P11497
:	
Immunogen :	The antiserum was produced against synthesized peptide derived from human Acetyl-CoA Carboxylase around the phosphorylation site of Ser80. AA range:46-95
Specificity :	Phospho-ACCA (S80) Polyclonal Antibody detects endogenous levels of ACCA protein only when phosphorylated at S80.
Formulation :	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Source :	Rabbit
Dilution :	Western Blot: 1/500 - 1/2000. Immunohistochemistry: 1/100 - 1/300. ELISA: 1/5000. Not yet tested in other applications.
Purification :	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.
Concentration :	1 mg/ml
Storage_stability	-20°C/1 year
:	




Msd : MSDS_Antibody.pdf

Other_name : ACACA; ACAC; ACC1; ACCA; Acetyl-CoA carboxylase 1; ACC1; ACC-alpha

Molecular Weight : 280KD

Product Images

Western Blot analysis of various cells using Phospho-ACC α (S80) Polyclonal Antibody diluted at 1 : 1000



The picture was kindly provided by our customer

