

NBK (phospho Thr33) Polyclonal Antibody

Catalog_no: AP0596

Applications: WB,IHC-p,ELISA

Reactivity: Human

Category: 抗原抗体

Size: 100μg/50μg/20μg

Gene_name:

Protein_name : Bcl-2-interacting killer

Humangene_id 638

Humanswissprot **Q13323**

_no:

The antiserum was produced against synthesized peptide derived from human BIK Immunogen:

around the phosphorylation site of Thr33. AA range:18-67

Phospho-NBK (T33) Polyclonal Antibody detects endogenous levels of NBK protein only Specificity:

when phosphorylated at T33.

Formulation: Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.

Source: Rabbit

Dilution: Western Blot: 1/500 - 1/2000. Immunohistochemistry: 1/100 - 1/300. ELISA: 1/10000.

Not yet tested in other applications.

Purification: The antibody was affinity-purified from rabbit antiserum by affinity-chromatography

using epitope-specific immunogen.

Concentration: 1 mg/ml

Storage_stability -20°C/1 year

Msds: MSDS_Antibody.pdf


BIK; NBK; Bcl-2-interacting killer; Apoptosis inducer NBK; BIP1; BP4 Other name:

Molecular

30KD Weight:



Product Images



Immunohistochemical analysis of paraffin-embedded Human colon cancer. Antibody was diluted at 1:100(4°,overnight). High-pressure and temperature Tris-EDTA,pH8.0 was used for antigen retrieval. Negetive contrl (right) obtaned from antibody was pre-absorbed by immunogen peptide.