

## Flt-1 (phospho Tyr1333) Polyclonal Antibody

Catalog_no :	AP0678
Applications :	WB,IHC-p,ELISA
Reactivity :	Human,Mouse,Rat
Category :	抗原抗体
Size :	100µg/50µg/20µg
Gene_name :	FLT1
Protein_name :	Vascular endothelial growth factor receptor 1
Humangene_id :	<a href="#">2321</a>
Humanswissprot_no :	<a href="#">P17948</a>
Mousegene_id :	<a href="#">14254</a>
Mouseswissprot_no :	<a href="#">P35969</a>
Ratgene_id :	<a href="#">54251</a>
Ratswissprot_no :	<a href="#">P53767</a>
Immunogen :	The antiserum was produced against synthesized peptide derived from human VEGFR1 around the phosphorylation site of Tyr1333. AA range:1289-1338
Specificity :	Phospho-Flt-1 (Y1333) Polyclonal Antibody detects endogenous levels of Flt-1 protein only when phosphorylated at Y1333.
Formulation :	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Source :	Rabbit
Dilution :	Western Blot: 1/500 - 1/2000. Immunohistochemistry: 1/100 - 1/300. ELISA: 1/40000. Not yet tested in other applications.
Purification :	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.
Concentration :	1 mg/ml
Storage_stability :	-20°C/1 year



MsdS : [MSDS\\_Antibody.pdf](#)

Other\_name : FLT1; FLT; FRT; VEGFR1; Vascular endothelial growth factor receptor 1; VEGFR-1; Fms-like tyrosine kinase 1; FLT-1; Tyrosine-protein kinase FRT; Tyrosine-protein kinase receptor FLT; FLT; Vascular permeability factor receptor

Molecular Weight : 151KD

## Product Images

Western Blot analysis of various cells using Phospho-Flt-1 (Y1333) Polyclonal Antibody

