





EP-CAM Polyclonal Antibody

Catalog_no :	AT1572
Applications :	WB,IF,ELISA
Reactivity :	Human
Category :	抗原抗体
Size :	100µg/50µg/20µg
Gene_name :	EPCAM
Protein_name :	Epithelial cell adhesion molecule
Humangene_id :	4072
Humanswissprot_no :	P16422
Immunogen :	The antiserum was produced against synthesized peptide derived from human TACD1. AA range:116-165
Specificity :	EP-CAM Polyclonal Antibody detects endogenous levels of EP-CAM protein.
Formulation :	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Source :	Rabbit
Dilution :	Western Blot: 1/500 - 1/2000. Immunofluorescence: 1/200 - 1/1000. ELISA: 1/5000. Not yet tested in other applications.
Purification :	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.
Concentration :	1 mg/ml
Storage_stability :	-20°C/1 year
Msds :	MSDS_Antibody.pdf
Other_name :	EPCAM; GA733-2; M1S2; M4S1; MIC18; TACSTD1; TROP1; Epithelial cell adhesion molecule; Ep-CAM; Adenocarcinoma-associated antigen; Cell surface glycoprotein Trop-1; Epithelial cell surface antigen; Epithelial glycoprotein; EGP; Epithelial gly
Molecular Weight :	34KD

Product Images



Western Blot analysis of various cells using EP-CAM
Polyclonal Antibody diluted at 1 : 2000



Western Blot analysis of 3T3 cells using EP-CAM
Polyclonal Antibody diluted at 1 : 2000