



ERAB Polyclonal Antibody

Catalog_no :	<u>AT1605</u>
Applications :	<u>WB,IHC-p,ELISA</u>
Reactivity :	<u>Human,Mouse,Rat,Monkey</u>
Category :	<u>抗原抗体</u>
Size :	<u>100µg/50µg/20µg</u>
Gene_name :	<u>HSD17B10</u>
Protein_name :	<u>3-hydroxyacyl-CoA dehydrogenase type-2</u>
Humangene_id	<u>3028</u>
:	<u></u>
Humanswissprot	<u>Q99714</u>
_no :	<u></u>
Mouseswissprot	<u>O08756</u>
_no :	<u></u>
Ratgene_id :	<u>63864</u>
Ratswissprot_no	<u>O70351</u>
:	<u></u>
Immunogen :	<u>The antiserum was produced against synthesized peptide derived from human ERAB. AA range:111-160</u>
Specificity :	<u>ERAB Polyclonal Antibody detects endogenous levels of ERAB protein.</u>
Formulation :	<u>Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.</u>
Source :	<u>Rabbit</u>
Dilution :	<u>Western Blot: 1/500 - 1/2000. Immunohistochemistry: 1/100 - 1/300. ELISA: 1/40000. Not yet tested in other applications.</u>
Purification :	<u>The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.</u>
Concentration :	<u>1 mg/ml</u>
Storage_stability	<u>-20°C/1 year</u>
:	<u></u>
Msds :	<u>MSDS_Antibody.pdf</u>
Other_name :	<u>HSD17B10; ERAB; HADH2; MRPP2; SCHAD; XH98G2; 3-hydroxyacyl-CoA dehydrogenase</u>




type-2; 17-beta-hydroxysteroid dehydrogenase 10; 17-beta-HSD 10;
3-hydroxy-2-methylbutyryl-CoA dehydrogenase; 3-hydroxyacyl-CoA dehydrogenase type
II; Endoplasmic

Molecular
Weight :

27KD

Product Images



Western Blot analysis of various cells using ERAB Polyclonal Antibody