




ERK 3 Polyclonal Antibody

Catalog_no :	AT1628
Applications :	WB,IHC-p,IF,ELISA
Reactivity :	Human,Mouse,Rat
Category :	抗原抗体
Size :	100µg/50µg/20µg
Gene_name :	MAPK6
Protein_name :	Mitogen-activated protein kinase 6
Humangene_id :	5597
Humanswissprot_no :	Q16659
Mousegene_id :	50772
Mouseswissprot_no :	Q61532
Ratgene_id :	58840
Ratswissprot_no :	P27704
Immunogen :	The antiserum was produced against synthesized peptide derived from human p97 MAPK. AA range:461-510
Specificity :	ERK 3 Polyclonal Antibody detects endogenous levels of ERK 3 protein.
Formulation :	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Source :	Rabbit
Dilution :	Western Blot: 1/500 - 1/2000. Immunohistochemistry: 1/100 - 1/300. Immunofluorescence: 1/200 - 1/1000. ELISA: 1/10000. Not yet tested in other applications.
Purification :	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.
Concentration :	1 mg/ml
Storage_stability :	-20°C/1 year




MsdS :	MSDS_Antibody.pdf
Other_name :	MAPK6; ERK3; PRKM6; Mitogen-activated protein kinase 6; MAP kinase 6; MAPK 6; Extracellular signal-regulated kinase 3; ERK-3; MAP kinase isoform p97; p97-MAPK
Molecular Weight :	85KD

Product Images



Western blot analysis of Hela Lysate, antibody was diluted at 1:1000. Secondary antibody was diluted at 1:20000



Immunohistochemical analysis of paraffin-embedded Human breast cancer. Antibody was diluted at 1:100(4°,overnight). High-pressure and temperature Tris-EDTA,pH8.0 was used for antigen retrieval. Negative contrl (right) obtaned from antibody was pre-absorbed by immunogen peptide.