



hnRNP K Polyclonal Antibody


Catalog_no :	<u>AT2202</u>
Applications :	<u>WB,IHC-p,ELISA</u>
Reactivity :	<u>Human,Mouse,Rat</u>
Category :	<u>抗原抗体</u>
Size :	<u>100µg/50µg/20µg</u>
Gene_name :	<u>HNRNPK</u>
Protein_name :	<u>Heterogeneous nuclear ribonucleoprotein K</u>
Humangene_id	<u>3190</u>
:	<u></u>
Humanswissprot	<u>P61978</u>
_no :	<u></u>
Mousegene_id :	<u>15387</u>
Mouseswissprot	<u>P61979</u>
_no :	<u></u>
Ratgene_id :	<u>117282</u>
Ratswissprot_no	<u>P61980</u>
:	<u></u>
Immunogen :	<u>The antiserum was produced against synthesized peptide derived from human hnRNP K. AA range:250-299</u>
Specificity :	<u>hnRNP K Polyclonal Antibody detects endogenous levels of hnRNP K protein.</u>
Formulation :	<u>Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.</u>
Source :	<u>Rabbit</u>
Dilution :	<u>Western Blot: 1/500 - 1/2000. Immunohistochemistry: 1/100 - 1/300. ELISA: 1/40000. Not yet tested in other applications.</u>
Purification :	<u>The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.</u>
Concentration :	<u>1 mg/ml</u>
Storage_stability	<u>-20°C/1 year</u>
:	<u></u>
Msds :	<u>MSDS_Antibody.pdf</u>




Other_name : HNRNPK; HNRPK; Heterogeneous nuclear ribonucleoprotein K; hnRNP K;
Transformation up-regulated nuclear protein; TUNP

Molecular Weight : 51KD


Product Images



Western Blot analysis of various cells using hnRNP K Polyclonal Antibody diluted at 1 : 2000



Immunohistochemical analysis of paraffin-embedded Human brain. Antibody was diluted at 1:100(4°,overnight). High-pressure and temperature Tris-EDTA,pH8.0 was used for antigen retrieval. Negative contrl (right) obtaned from antibody was pre-absorbed by immunogen peptide.



Immunohistochemical analysis of paraffin-embedded Human brain. Antibody was diluted at 1:100(4°,overnight). High-pressure and temperature Tris-EDTA,pH8.0 was used for antigen retrieval. Negative contrl (right) obtaned from antibody was pre-absorbed by immunogen peptide.