



Med18 Polyclonal Antibody


Catalog_no :	<u>AT2696</u>
Applications :	<u>WB,ELISA</u>
Reactivity :	<u>Human,Mouse,Rat</u>
Category :	<u>抗原抗体</u>
Size :	<u>100µg/50µg/20µg</u>
Gene_name :	<u>MED18</u>
Protein_name :	<u>Mediator of RNA polymerase II transcription subunit 18</u>
Humangene_id :	<u>54797</u>
Humanswissprot_no :	<u>Q9BUE0</u>
Mousegene_id :	<u>67219</u>
Mouseswissprot_no :	<u>Q9CZ82</u>
Immunogen :	<u>The antiserum was produced against synthesized peptide derived from human MED18. AA range:70-119</u>
Specificity :	<u>Med18 Polyclonal Antibody detects endogenous levels of Med18 protein.</u>
Formulation :	<u>Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.</u>
Source :	<u>Rabbit</u>
Dilution :	<u>Western Blot: 1/500 - 1/2000. ELISA: 1/40000. Not yet tested in other applications.</u>
Purification :	<u>The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.</u>
Concentration :	<u>1 mg/ml</u>
Storage_stability :	<u>-20°C/1 year</u>
Msds :	<u>MSDS_Antibody.pdf</u>
Other_name :	<u>MED18; Mediator of RNA polymerase II transcription subunit 18; Mediator complex subunit 18; p28b</u>
Molecular Weight :	<u>24KD</u>



专注二抗产品

Biodragon旗下品牌

Product Images



Western Blot analysis of various cells using Med18 Polyclonal Antibody cells nucleus extracted by Minute TM Cytoplasmic and Nuclear Fractionation kit (SC-003, Inventbiotech, MN, USA).