



MLC-2 Polyclonal Antibody

Catalog_no :	<u>AT2778</u>
Applications :	<u>IHC-p,IF,ELISA</u>
Reactivity :	<u>Human,Mouse,Rat</u>
Category :	<u>抗原抗体</u>
Size :	<u>100µg/50µg/20µg</u>
Gene_name :	<u>MYL12A</u>
Protein_name :	<u>Myosin regulatory light chain 12A</u>
Humangene_id :	<u>10627</u>
Humanswissprot_no :	<u>P19105/O14950/P24844</u>
Mousegene_id :	<u>67938/98932</u>
Ratgene_id :	<u>50685/296313</u>
Ratswissprot_no :	<u>P18666/Q64122</u>
Immunogen :	<u>The antiserum was produced against synthesized peptide derived from human MLC-2. AA range:5-54</u>
Specificity :	<u>MLC-2 Polyclonal Antibody detects endogenous levels of MLC-2 protein.</u>
Formulation :	<u>Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.</u>
Source :	<u>Rabbit</u>
Dilution :	<u>Immunohistochemistry: 1/100 - 1/300. Immunofluorescence: 1/200 - 1/1000. ELISA: 1/5000. Not yet tested in other applications.</u>
Purification :	<u>The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.</u>
Concentration :	<u>1 mg/ml</u>
Storage_stability :	<u>-20°C/1 year</u>
Msds :	<u>MSDS_Antibody.pdf</u>
Other_name :	<u>MYL12A; MLCB; MRLC3; RLC; Myosin regulatory light chain 12A; MLC-2B; Myosin RLC; Myosin regulatory light chain 2; nonsarcomeric; Myosin regulatory light chain MRLC3;</u>



MYL12B; MRLC2; MYLC2B; Myosin regulatory light chain 12B; MLC-2A; MLC-2; M