

Moesin/Ezrin/Radixin Polyclonal Antibody

Catalog_no :	<u>AT2813</u>
Applications :	<u>WB,IHC-p,ELISA</u>
Reactivity :	<u>Human,Mouse,Rat</u>
Category :	<u>抗原抗体</u>
Size :	<u>100µg/50µg/20µg</u>
Gene_name :	<u>MSN</u>
Protein_name :	<u>Moesin</u>
Humangene_id :	<u>4478/5962</u>
Humanswissprot_no :	<u>P26038/P35241/P15311</u>
Mousegene_id :	<u>17698/19684/22350</u>
Ratgene_id :	<u>81521/54319</u>
Ratswissprot_no :	<u>O35763/P31977</u>
Immunogen :	<u>The antiserum was produced against synthesized peptide derived from human Moesin/Ezrin/Radixin. AA range:524-573</u>
Specificity :	<u>Moesin/Ezrin/Radixin Polyclonal Antibody detects endogenous levels of Moesin/Ezrin/Radixin protein.</u>
Formulation :	<u>Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.</u>
Source :	<u>Rabbit</u>
Dilution :	<u>Western Blot: 1/500 - 1/2000. Immunohistochemistry: 1/100 - 1/300. ELISA: 1/20000. Not yet tested in other applications.</u>
Purification :	<u>The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.</u>
Concentration :	<u>1 mg/ml</u>
Storage_stability :	<u>-20°C/1 year</u>
Msds :	<u>MSDS_Antibody.pdf</u>
Other_name :	<u>MSN; Moesin; Membrane-organizing extension spike protein; RDX; Radixin; EZR; VIL2;</u>




Ezrin; Cytovillin; Villin-2; p81

Molecular
Weight :

67KD

Product Images



Western Blot analysis of 3T3 cells using
Moesin/Ezrin/Radixin Polyclonal Antibody diluted at
1 : 2000