

Na⁺ CP type IX α Polyclonal Antibody


Catalog_no :	<u>AT2967</u>
Applications :	<u>WB,IHC-p,ELISA</u>
Reactivity :	<u>Human,Mouse,Rat</u>
Category :	<u>抗原抗体</u>
Size :	<u>100μg/50μg/20μg</u>
Gene_name :	<u>SCN9A</u>
Protein_name :	<u>Sodium channel protein type 9 subunit alpha</u>
Humangene_id	<u>6335</u>
:	<u></u>
Humanswissprot	<u>Q15858</u>
_no :	<u></u>
Mouseswissprot	<u>Q62205</u>
_no :	<u></u>
Ratgene_id :	<u>78956</u>
Ratswissprot_no	<u>O08562</u>
:	<u></u>
Immunogen :	<u>The antiserum was produced against synthesized peptide derived from human SCN9A. AA range:651-700</u>
Specificity :	<u>Na⁺ CP type IXα Polyclonal Antibody detects endogenous levels of Na⁺ CP type IXα protein.</u>
Formulation :	<u>Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.</u>
Source :	<u>Rabbit</u>
Dilution :	<u>Western Blot: 1/500 - 1/2000. Immunohistochemistry: 1/100 - 1/300. ELISA: 1/40000. Not yet tested in other applications.</u>
Purification :	<u>The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.</u>
Concentration :	<u>1 mg/ml</u>
Storage_stability	<u>-20°C/1 year</u>
:	<u></u>
Msds :	<u>MSDS_Antibody.pdf</u>



Other_name : SCN9A; NENA; Sodium channel protein type 9 subunit alpha; Neuroendocrine sodium channel; hNE-Na; Peripheral sodium channel 1; PN1; Sodium channel protein type IX subunit alpha; Voltage-gated sodium channel subunit alpha Nav1.7

Molecular Weight : 220KD

Product Images



Western Blot analysis of various cells using Na⁺ CP type IX α Polyclonal Antibody diluted at 1 : 1000