

NK-3R Polyclonal Antibody


Catalog_no :	<u>AT3133</u>
Applications :	<u>WB,IF,ELISA</u>
Reactivity :	<u>Human,Mouse,Rat</u>
Category :	<u>抗原抗体</u>
Size :	<u>100µg/50µg/20µg</u>
Gene_name :	<u>TACR3</u>
Protein_name :	<u>Neuromedin-K receptor</u>
Humangene_id :	<u>6870</u>
Humanswissprot_no :	<u>P29371</u>
Mousegene_id :	<u>21338</u>
Mouseswissprot_no :	<u>P47937</u>
Ratgene_id :	<u>24808</u>
Ratswissprot_no :	<u>P16177</u>
Immunogen :	<u>The antiserum was produced against synthesized peptide derived from human NK3R. AA range:401-450</u>
Specificity :	<u>NK-3R Polyclonal Antibody detects endogenous levels of NK-3R protein.</u>
Formulation :	<u>Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.</u>
Source :	<u>Rabbit</u>
Dilution :	<u>Western Blot: 1/500 - 1/2000. Immunofluorescence: 1/200 - 1/1000. ELISA: 1/10000. Not yet tested in other applications.</u>
Purification :	<u>The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.</u>
Concentration :	<u>1 mg/ml</u>
Storage_stability :	<u>-20°C/1 year</u>
Msds :	<u>MSDS_Antibody.pdf</u>




Other_name : TACR3; NK3R; TAC3R; Neuromedin-K receptor; NKR; NK-3 receptor; NK-3R; Neurokinin B receptor; Tachykinin receptor 3

Molecular Weight : 52KD

Product Images



Western Blot analysis of various cells using NK-3R Polyclonal Antibody cells nucleus extracted by Minute TM Cytoplasmic and Nuclear Fractionation kit (SC-003, Inventbiotech, MN, USA).



Western Blot analysis of COLO205 cells using NK-3R Polyclonal Antibody cells nucleus extracted by Minute TM Cytoplasmic and Nuclear Fractionation kit (SC-003, Inventbiotech, MN, USA).