

NMDA $\epsilon$ 1/2 Polyclonal Antibody

Catalog_no :	<u>AT3149</u>
Applications :	<u>IHC-p,IF,ELISA</u>
Reactivity :	<u>Human,Mouse,Rat</u>
Category :	<u>抗原抗体</u>
Size :	<u>100<math>\mu</math>g/50<math>\mu</math>g/20<math>\mu</math>g</u>
Gene_name :	<u>GRIN2A/GRIN2B</u>
Protein_name :	<u>Glutamate [NMDA] receptor subunit epsilon-1/2</u>
Humangene_id :	<u><a href="#">2903/2904</a></u>
Humanswissprot_no :	<u><a href="#">Q12879/Q13224</a></u>
Mousegene_id :	<u><a href="#">14811/14812</a></u>
Ratgene_id :	<u><a href="#">24409/24410</a></u>
Ratswissprot_no :	<u><a href="#">Q00959/Q00960</a></u>
Immunogen :	<u>The antiserum was produced against synthesized peptide derived from human NMDAR2A/B. AA range:1216-1265</u>
Specificity :	<u>NMDA<math>\epsilon</math>1/2 Polyclonal Antibody detects endogenous levels of NMDA<math>\epsilon</math>1/2 protein.</u>
Formulation :	<u>Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.</u>
Source :	<u>Rabbit</u>
Dilution :	<u>Immunohistochemistry: 1/100 - 1/300. Immunofluorescence: 1/200 - 1/1000. ELISA: 1/20000. Not yet tested in other applications.</u>
Purification :	<u>The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.</u>
Concentration :	<u>1 mg/ml</u>
Storage_stability :	<u>-20°C/1 year</u>
Msds :	<u><a href="#">MSDS_Antibody.pdf</a></u>
Other_name :	<u>GRIN2A; NMDAR2A; Glutamate [NMDA] receptor subunit epsilon-1; N-methyl D-aspartate receptor subtype 2A; NMDAR2A; NR2A; hNR2A; GRIN2B; NMDAR2B;</u>



Glutamate [NMDA] receptor subunit epsilon-2; N-methyl D-aspartate receptor subtype 2B; NMDAR2B; N

---