

## Nopp140 Polyclonal Antibody

Catalog_no :	<u>AT3166</u>
Applications :	<u>WB,ELISA</u>
Reactivity :	<u>Human,Mouse,Rat</u>
Category :	<u>抗原抗体</u>
Size :	<u>100µg/50µg/20µg</u>
Gene_name :	<u>NOLC1</u>
Protein_name :	<u>Nucleolar and coiled-body phosphoprotein 1</u>
Humangene_id	<u><a href="#">9221</a></u>
:	<u></u>
Humanswissprot	<u><a href="#">Q14978</a></u>
_no :	<u></u>
Ratgene_id :	<u><a href="#">64896</a></u>
Ratswissprot_no	<u><a href="#">P41777</a></u>
:	<u></u>
Immunogen :	<u>Synthesized peptide derived from Nopp140 . at AA range: 620-700</u>
Specificity :	<u>Nopp140 Polyclonal Antibody detects endogenous levels of Nopp140 protein.</u>
Formulation :	<u>Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.</u>
Source :	<u>Rabbit</u>
Dilution :	<u>Western Blot: 1/500 - 1/2000. ELISA: 1/40000. Not yet tested in other applications.</u>
Purification :	<u>The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.</u>
Concentration :	<u>1 mg/ml</u>
Storage_stability	<u>-20°C/1 year</u>
:	<u></u>
Msds :	<u>MSDS_Antibody.pdf</u>
Other_name :	<u>NOLC1; KIAA0035; NS5ATP13; Nucleolar and coiled-body phosphoprotein 1; 140 kDa nucleolar phosphoprotein; Nopp140; Hepatitis C virus NS5A-transactivated protein 13; HCV NS5A-transactivated protein 13; Nucleolar 130 kDa protein; Nucleolar pho</u>
Molecular Weight :	<u>74,130KD(Nucleolar phosphoprotein p130)</u>



**专注二抗产品**

Biodragon旗下品牌

---

## Product Images

