

Nur77 Polyclonal Antibody


Catalog_no :	<u>AT3213</u>
Applications :	<u>WB,IHC-p,ELISA</u>
Reactivity :	<u>Human,Mouse,Rat,Monkey</u>
Category :	<u>抗原抗体</u>
Size :	<u>100µg/50µg/20µg</u>
Gene_name :	<u>NR4A1</u>
Protein_name :	<u>Nuclear receptor subfamily 4 group A member 1</u>
Humangene_id :	<u>3164</u>
Humanswissprot_no :	<u>P22736</u>
Mousegene_id :	<u>15370</u>
Mouseswissprot_no :	<u>P12813</u>
Ratgene_id :	<u>79240</u>
Ratswissprot_no :	<u>P22829</u>
Immunogen :	<u>The antiserum was produced against synthesized peptide derived from human Nuclear Receptor NR4A1. AA range:317-366</u>
Specificity :	<u>Nur77 Polyclonal Antibody detects endogenous levels of Nur77 protein.</u>
Formulation :	<u>Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.</u>
Source :	<u>Rabbit</u>
Dilution :	<u>Western Blot: 1/500 - 1/2000. Immunohistochemistry: 1/100 - 1/300. ELISA: 1/10000. Not yet tested in other applications.</u>
Purification :	<u>The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.</u>
Concentration :	<u>1 mg/ml</u>
Storage_stability :	<u>-20°C/1 year</u>
Msds :	<u>MSDS_Antibody.pdf</u>




Other_name : NR4A1; GFRP1; HMR; NAK1; Nuclear receptor subfamily 4 group A member 1; Early response protein NAK1; Nuclear hormone receptor NUR/77; Nur77; Orphan nuclear receptor HMR; Orphan nuclear receptor TR3; ST-59; Testicular receptor 3

Molecular Weight : 60KD

Product Images



Western Blot analysis of various cells using Nur77 Polyclonal Antibody cells nucleus extracted by Minute TM Cytoplasmic and Nuclear Fractionation kit (SC-003, Inventbiotech, MN, USA).



Western Blot analysis of COS7 cells using Nur77 Polyclonal Antibody cells nucleus extracted by Minute TM Cytoplasmic and Nuclear Fractionation kit (SC-003, Inventbiotech, MN, USA).