



TCF-3 Polyclonal Antibody


Catalog_no :	<u>AT4579</u>
Applications :	<u>WB,IHC-p,ELISA</u>
Reactivity :	<u>Human,Mouse,Rat</u>
Category :	<u>抗原抗体</u>
Size :	<u>100µg/50µg/20µg</u>
Gene_name :	<u>TCF3</u>
Protein_name :	<u>Transcription factor E2-alpha</u>
Humangene_id :	<u>6929</u>
Humanswissprot_no :	<u>P15923</u>
Mousegene_id :	<u>21423</u>
Mouseswissprot_no :	<u>P15806</u>
Ratgene_id :	<u>171046</u>
Ratswissprot_no :	<u>P21677</u>
Immunogen :	<u>The antiserum was produced against synthesized peptide derived from human TCF3. AA range:571-620</u>
Specificity :	<u>TCF-3 Polyclonal Antibody detects endogenous levels of TCF-3 protein.</u>
Formulation :	<u>Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.</u>
Source :	<u>Rabbit</u>
Dilution :	<u>Western Blot: 1/500 - 1/2000. Immunohistochemistry: 1/100 - 1/300. ELISA: 1/20000. Not yet tested in other applications.</u>
Purification :	<u>The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.</u>
Concentration :	<u>1 mg/ml</u>
Storage_stability :	<u>-20°C/1 year</u>
Msds :	<u>MSDS_Antibody.pdf</u>



Other_name : TCF3; BHLHB21; E2A; ITF1; Transcription factor E2-alpha; Class B basic helix-loop-helix protein 21; bHLHb21; Immunoglobulin enhancer-binding factor E12/E47; Immunoglobulin transcription factor 1; Kappa-E2-binding factor; Transcription facto

Molecular Weight : 68KD

Product Images



Western Blot analysis of various cells using TCF-3 Polyclonal Antibody