

## TNF-IP 1 Polyclonal Antibody

Catalog_no :	AT4684
Applications :	WB,IHC-p,ELISA
Reactivity :	Human,Mouse,Rat
Category :	抗原抗体
Size :	100µg/50µg/20µg
Gene_name :	TNFAIP1
Protein_name :	BTB/POZ domain-containing adapter for CUL3-mediated RhoA degradation protein 2
Humangene_id :	<a href="#">7126</a>
Humanswissprot_no :	<a href="#">Q13829</a>
Mousegene_id :	<a href="#">21927</a>
Mouseswissprot_no :	<a href="#">O70479</a>
Ratgene_id :	<a href="#">287543</a>
Ratswissprot_no :	<a href="#">Q7TNY1</a>
Immunogen :	The antiserum was produced against synthesized peptide derived from human TNAP1. AA range:71-120
Specificity :	TNF-IP 1 Polyclonal Antibody detects endogenous levels of TNF-IP 1 protein.
Formulation :	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Source :	Rabbit
Dilution :	Western Blot: 1/500 - 1/2000. Immunohistochemistry: 1/100 - 1/300. ELISA: 1/5000. Not yet tested in other applications.
Purification :	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.
Concentration :	1 mg/ml
Storage_stability :	-20°C/1 year
Msds :	MSDS_Antibody.pdf




Other\_name : TNFAIP1; BACURD2; EDP1; BTB/POZ domain-containing adapter for CUL3-mediated RhoA degradation protein 2; hBACURD2; BTB/POZ domain-containing protein TNFAIP1; Protein B12; Tumor necrosis factor; alpha-induced protein 1, endothelial

---

Molecular Weight : 34KD

---

## Product Images



Western Blot analysis of various cells using TNF-IP 1 Polyclonal Antibody diluted at 1 : 500. Secondary antibody was diluted at 1:20000