

TSC-22 Polyclonal Antibody

| | |
|---------------------|--|
| Catalog_no : | AT4758 |
| Applications : | WB,IHC-p,IF,ELISA |
| Reactivity : | Human,Mouse,Rat |
| Category : | 抗原抗体 |
| Size : | 100µg/50µg/20µg |
| Gene_name : | TSC22D1 |
| Protein_name : | TSC22 domain family protein 1 |
| Humangene_id : | 8848 |
| Humanswissprot_no : | Q15714 |
| Mousegene_id : | 21807 |
| Mouseswissprot_no : | P62500 |
| Ratgene_id : | 498545 |
| Ratswissprot_no : | P62501 |
| Immunogen : | The antiserum was produced against synthesized peptide derived from human TSC22D1. AA range:71-120 |
| Specificity : | TSC-22 Polyclonal Antibody detects endogenous levels of TSC-22 protein. |
| Formulation : | Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide. |
| Source : | Rabbit |
| Dilution : | Western Blot: 1/500 - 1/2000. Immunohistochemistry: 1/100 - 1/300. Immunofluorescence: 1/200 - 1/1000. ELISA: 1/20000. Not yet tested in other applications. |
| Purification : | The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen. |
| Concentration : | 1 mg/ml |
| Storage_stability : | -20°C/1 year |



MsdS : [MSDS_Antibody.pdf](#)

Other_name : TSC22D1; KIAA1994; TGFB1I4; TSC22; hucep-2; TSC22 domain family protein 1; Cerebral protein 2; Regulatory protein TSC-22; TGFB-stimulated clone 22 homolog; Transforming growth factor beta-1-induced transcript 4 protein

Molecular Weight : 16KD