

## Tuberin Polyclonal Antibody

|                     |  |
|---------------------|--|
| Catalog_no :        | <u>AT4775</u>  |
| Applications :      | <u>IHC-p,ELISA</u>   |
| Reactivity :        | <u>Human,Mouse,Rat</u>   |
| Category :          | <u>抗原抗体</u>  |
| Size :              | <u>100µg/50µg/20µg</u>   |
| Gene_name :         | <u>TSC2</u>  |
| Protein_name :      | <u>Tuberin</u>   |
| Humangene_id :      | <u><a href="#">7249</a></u>  |
| Humanswissprot_no : | <u><a href="#">P49815</a></u>  |
| Mouseswissprot_no : | <u><a href="#">Q61037</a></u>  |
| Ratgene_id :        | <u><a href="#">24855</a></u>   |
| Ratswissprot_no :   | <u><a href="#">P49816</a></u>  |
| Immunogen :         | <u>The antiserum was produced against synthesized peptide derived from human Tuberin/TSC2. AA range:1428-1477</u>            |
| Specificity :       | <u>Tuberin Polyclonal Antibody detects endogenous levels of Tuberin protein.</u>   |
| Formulation :       | <u>Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.</u>   |
| Source :            | <u>Rabbit</u>  |
| Dilution :          | <u>Immunohistochemistry: 1/100 - 1/300. ELISA: 1/5000. Not yet tested in other applications.</u>                             |
| Purification :      | <u>The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.</u> |
| Concentration :     | <u>1 mg/ml</u>   |
| Storage_stability : | <u>-20°C/1 year</u>  |
| Msds :              | <u><a href="#">MSDS_Antibody.pdf</a></u>   |
| Other_name :        | <u>TSC2; TSC4; Tuberin; Tuberous sclerosis 2 protein</u>   |



**专注二抗产品**

Biodragon旗下品牌

---