

UBR5 Polyclonal Antibody


| | |
|---------------------|--|
| Catalog_no : | AT4809 |
| Applications : | WB,IHC-p,ELISA |
| Reactivity : | Human,Mouse |
| Category : | 抗原抗体 |
| Size : | 100µg/50µg/20µg |
| Gene_name : | UBR5 |
| Protein_name : | E3 ubiquitin-protein ligase UBR5 |
| Humangene_id : | 51366 |
| Humanswissprot_no : | O95071 |
| Mousegene_id : | 70790 |
| Mouseswissprot_no : | Q80TP3 |
| Immunogen : | The antiserum was produced against synthesized peptide derived from human EDD. AA range:1-50 |
| Specificity : | UBR5 Polyclonal Antibody detects endogenous levels of UBR5 protein. |
| Formulation : | Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide. |
| Source : | Rabbit |
| Dilution : | Western Blot: 1/500 - 1/2000. Immunohistochemistry: 1/100 - 1/300. ELISA: 1/5000. Not yet tested in other applications. |
| Purification : | The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen. |
| Concentration : | 1 mg/ml |
| Storage_stability : | -20°C/1 year |
| Msds : | MSDS_Antibody.pdf |
| Other_name : | UBR5; EDD; EDD1; HYD; KIAA0896; E3 ubiquitin-protein ligase UBR5; E3 ubiquitin-protein ligase; HECT domain-containing 1; Hyperplastic discs protein homolog; hHYD; Progesterin-induced protein |



Molecular
Weight :

309KD

Product Images



Western Blot analysis of various cells using UBR5 Polyclonal Antibody. Secondary antibody was diluted at 1:20000 cells nucleus extracted by Minute TM Cytoplasmic and Nuclear Fractionation kit (SC-003, Invent biotech, MN, USA).