



UDG Polyclonal Antibody


Catalog_no :	AT4815
Applications :	WB,IHC-p,ELISA
Reactivity :	Human,Mouse,Rat
Category :	抗原抗体
Size :	100µg/50µg/20µg
Gene_name :	UNG
Protein_name :	Uracil-DNA glycosylase
Humangene_id :	7374
Humanswissprot_no :	P13051
Mousegene_id :	22256
Mouseswissprot_no :	P97931
Immunogen :	The antiserum was produced against synthesized peptide derived from human UNG. AA range:191-240
Specificity :	UDG Polyclonal Antibody detects endogenous levels of UDG protein.
Formulation :	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Source :	Rabbit
Dilution :	Western Blot: 1/500 - 1/2000. Immunohistochemistry: 1/100 - 1/300. ELISA: 1/40000. Not yet tested in other applications.
Purification :	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.
Concentration :	1 mg/ml
Storage_stability :	-20°C/1 year
Msds :	MSDS_Antibody.pdf
Other_name :	UNG; DGU; UNG1; UNG15; Uracil-DNA glycosylase; UDG
Molecular Weight :	35KD




专注二抗产品

Biodragon旗下品牌

Product Images



Western Blot analysis of various cells using UDG Polyclonal Antibody. Secondary antibody was diluted at 1:20000



Western Blot analysis of COLO205 cells using UDG Polyclonal Antibody. Secondary antibody was diluted at 1:20000