

## USP50 Polyclonal Antibody


Catalog_no :	AT4844
Applications :	WB,IHC-p,ELISA
Reactivity :	Human,Mouse
Category :	抗原抗体
Size :	100µg/50µg/20µg
Gene_name :	USP50
Protein_name :	Inactive ubiquitin carboxyl-terminal hydrolase 50
Humangene_id :	<a href="#">373509</a>
Humanswissprot_no :	<a href="#">Q70EL3</a>
Mousegene_id :	<a href="#">75083</a>
Mouseswissprot_no :	<a href="#">Q6P8X6</a>
Immunogen :	The antiserum was produced against synthesized peptide derived from human USP50. AA range:251-300
Specificity :	USP50 Polyclonal Antibody detects endogenous levels of USP50 protein.
Formulation :	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Source :	Rabbit
Dilution :	Western Blot: 1/500 - 1/2000. Immunohistochemistry: 1/100 - 1/300. ELISA: 1/20000. Not yet tested in other applications.
Purification :	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.
Concentration :	1 mg/ml
Storage_stability :	-20°C/1 year
Msds :	<a href="#">MSDS_Antibody.pdf</a>
Other_name :	USP50; Inactive ubiquitin carboxyl-terminal hydrolase 50; Inactive ubiquitin-specific peptidase 50
Molecular	38KD



Weight :

---

## Product Images



Western Blot analysis of various cells using USP50 Polyclonal Antibody. Secondary antibody was diluted at 1:20000