

## BAGE5 Polyclonal Antibody

Catalog_no :	<u>AT5061</u>
Applications :	<u>WB,ELISA</u>
Reactivity :	<u>Human,Mouse,Rat</u>
Category :	<u>抗原抗体</u>
Size :	<u>100µg/50µg/20µg</u>
Gene_name :	<u>BAG5</u>
Protein_name :	<u>BAG family molecular chaperone regulator 5</u>
Humangene_id	<u><a href="#">9529</a></u>
:	
Humanswissprot	<u><a href="#">Q9UL15</a></u>
_no :	
Mousegene_id :	<u><a href="#">70369</a></u>
Mouseswissprot	<u><a href="#">Q8CI32</a></u>
_no :	
Ratgene_id :	<u><a href="#">366734</a></u>
Ratswissprot_no	<u><a href="#">Q5QJC9</a></u>
:	
Immunogen :	<u>Synthesized peptide derived from BAGE5 . at AA range: 30-110</u>
Specificity :	<u>BAGE5 Polyclonal Antibody detects endogenous levels of BAGE5 protein.</u>
Formulation :	<u>Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.</u>
Source :	<u>Rabbit</u>
Dilution :	<u>Western Blot: 1/500 - 1/2000. ELISA: 1/5000. Not yet tested in other applications.</u>
Purification :	<u>The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.</u>
Concentration :	<u>1 mg/ml</u>
Storage_stability	<u>-20°C/1 year</u>
:	
Msds :	<u><a href="#">MSDS_Antibody.pdf</a></u>
Other_name :	<u>BAG5; KIAA0873; BAG family molecular chaperone regulator 5; BAG-5; Bcl-2-associated</u>



athanogene 5


---

Molecular  
Weight :

51KD

---

## Product Images



Western Blot analysis of extracts from Jurkat, K562 cells, using BAGE5 Polyclonal Antibody.. Secondary antibody was diluted at 1:20000