

HoxD3 Polyclonal Antibody

Catalog_no: AT5195

Applications: WB,IHC-p,ELISA

Reactivity: Human, Mouse, Rat

Category: 抗原抗体

Size: $100 \mu g/50 \mu g/20 \mu g$

Gene_name : HOXD3

Protein_name : Homeobox protein Hox-D3

Humangene_id 3232

:

Humanswissprot P31249

_no:

Mousegene_id: 15434

Mouseswissprot P09027

_no:

Ratswissprot_no P18867

•

Immunogen: The antiserum was produced against synthesized peptide derived from the Internal

region of human HOXD3. AA range:211-260

Specificity: HoxD3 Polyclonal Antibody detects endogenous levels of HoxD3 protein.

Formulation: Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.

Source: Rabbit

Dilution: Western Blot: 1/500 - 1/2000. IHC-p: 1:100-300 ELISA: 1/20000. Not yet tested in other

applications.

Purification: The antibody was affinity-purified from rabbit antiserum by affinity-chromatography

using epitope-specific immunogen.

Concentration: 1 mg/ml

Storage_stability -20°C/1 year

:


Msds: MSDS_Antibody.pdf

Other_name: HOXD3; HOX1D; HOX4A; Homeobox protein Hox-D3; Homeobox protein Hox-4A




Molecular Weight: 45KD


Product Images



Western Blot analysis of HepG2 cells using HoxD3 Polyclonal Antibody.. Secondary antibody was diluted at 1:20000 cells nucleus extracted by Minute TM Cytoplasmic and Nuclear Fractionation kit (SC-003,Inventbiotech,MN,USA).





Immunohistochemical analysis of paraffin-embedded rat-brain, antibody was diluted at 1:100




Immunohistochemical analysis of paraffin-embedded rat-brain, antibody was diluted at 1:100

Immunohistochemical analysis of paraffin-embedded rat-brain, antibody was diluted at 1:100





Immunohistochemical analysis of paraffin-embedded mouse-brain, antibody was diluted at 1:100



Immunohistochemical analysis of paraffin-embedded mouse-brain, antibody was diluted at 1:100