





## CD68 Polyclonal Antibody

Catalog_no :	AT5210
Applications :	WB,IHC-p,ELISA
Reactivity :	Human
Category :	抗原抗体
Size :	100µg/50µg/20µg
Gene_name :	CD68
Protein_name :	Macrosialin
Humangene_id :	<a href="#">968</a>
Humanswissprot_no :	<a href="#">P34810</a>
Immunogen :	The antiserum was produced against synthesized peptide derived from the Internal region of human CD68. AA range:171-220
Specificity :	CD68 Polyclonal Antibody detects endogenous levels of CD68 protein.
Formulation :	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Source :	Rabbit
Dilution :	Western Blot: 1/500 - 1/2000. IHC-p: 1:100-300 ELISA: 1/20000. Not yet tested in other applications.
Purification :	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.
Concentration :	1 mg/ml
Storage_stability :	-20°C/1 year
Msds :	MSDS_Antibody.pdf
Other_name :	CD68; Macrosialin; Gp110; CD68
Molecular Weight :	37KD


## Product Images



Western Blot analysis of mouse spleen cells using CD68 Polyclonal Antibody.. Secondary antibody was diluted at 1:20000




Immunohistochemical analysis of paraffin-embedded human skin, antibody was diluted at 1:100




Immunohistochemical analysis of paraffin-embedded human skin, antibody was diluted at 1:100

Immunohistochemical analysis of paraffin-embedded human liver, antibody was diluted at 1:100



Immunohistochemical analysis of paraffin-embedded human-liver, antibody was diluted at 1:100



Immunohistochemical analysis of paraffin-embedded human-liver, antibody was diluted at 1:100

