

Btk Polyclonal Antibody


Catalog_no :	<u>AT5346</u>
Applications :	<u>WB,ELISA</u>
Reactivity :	<u>Human,Mouse,Rat</u>
Category :	<u>抗原抗体</u>
Size :	<u>100µg/50µg/20µg</u>
Gene_name :	<u>BTK</u>
Protein_name :	<u>Tyrosine-protein kinase BTK</u>
Humangene_id :	<u>695</u>
Humanswissprot_no :	<u>Q06187</u>
Mousegene_id :	<u>12229</u>
Mouseswissprot_no :	<u>P35991</u>
Immunogen :	<u>Synthesized peptide derived from Btk . at AA range: 490-570</u>
Specificity :	<u>Btk Polyclonal Antibody detects endogenous levels of Btk protein only when non-phosphorylation at Y550.</u>
Formulation :	<u>Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.</u>
Source :	<u>Rabbit</u>
Dilution :	<u>Western Blot: 1/500 - 1/2000. ELISA: 1/20000. Not yet tested in other applications.</u>
Purification :	<u>The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.</u>
Concentration :	<u>1 mg/ml</u>
Storage_stability :	<u>-20°C/1 year</u>
Msds :	<u>MSDS_Antibody.pdf</u>
Other_name :	<u>BTK; AGMX1; ATK; BPK; Tyrosine-protein kinase BTK; Agammaglobulinaemia tyrosine kinase; ATK; B-cell progenitor kinase; BPK; Bruton tyrosine kinase</u>
Molecular Weight :	<u>76KD</u>



专注二抗产品

Biodragon旗下品牌

Product Images



Western Blot analysis of 293 cells using Btk Polyclonal Antibody.. Secondary antibody was diluted at 1:20000